

**AMENDMENT NUMBER 1 TO THE BID DOCUMENTS**

Amendment Date: **August 16, 2013**

**BID DOCUMENT NUMBER RFP 2013-004**

Roofing/Renovation Project

A. This Amendment shall be considered part of the bid documents for the above-mentioned project as though it had been issued at the same time and shall be incorporated integrally therewith. Where provisions of the following supplementary data differ from those of the original bid documents, this Amendment shall govern and take precedence. **BIDDERS MUST SIGN THE AMENDMENT AND SUBMIT IT WITH THEIR BIDS.**

B. Bidders are hereby notified that they shall make any necessary adjustments in their estimates as a result of this Amendment. It will be construed that each bidder's proposal is submitted with full knowledge of all modifications and supplemental data specified herein.

Except as described below, the original bid document remains unchanged. The bid documents are modified and/or clarified, as follows:

1. **Bid and Project Specification:**

OPTION # 1 Replacing with shingles

- Remove old shingles and felt paper
- Replace any water damage sheeting
- Install new **15 pound** felt paper or beater
- Install new galvanize drip edge
- Install **30 year Black** architect shingles
- Install ridge vent cap
- Replace any water damage facial and soffit
- Prime and paint all new facial and soffit

Option # 2 Replacing with metal roofing

- Remove old shingles and felt paper
- Replace any water damage sheeting
- Install new **30 pound** felt paper or better
- Install **29gauge** or heavier **Blue or Brown in color** metal roof panel.
- All metal needs to have a 30 year or better warranty
- Install ridge vent cap
- Ridge cap, all trim and screws need to be the same color as roof panels
- Replace any water damage facial and soffit
- Prime and paint all new facial and soffit

OPTION # 1A Replacing with shingles

- Remove old shingles and felt paper
- Replace any water damage sheeting
- Install new **15 pound** felt paper or beater
- Install new galvanize drip edge
- Install **30 year Black** architect shingles
- Install ridge vent cap
- Replace any water damage facial and soffit
- Prime and paint all new facial and soffit
- Replace and Repair any water damage to interior ceiling
- Paint Interior Ceiling and Wall using Latex Enamel Paint
- Prime and Paint Exterior Wall using Latex Enamel Paint

Option # 2A Replacing with metal roofing

- Remove old shingles and felt paper
- Replace any water damage sheeting
- Install new **30 pound** felt paper or better
- Install **29gauge** or heavier **Blue or Brown in color** metal roof panel.
- All metal needs to have a 30 year or better warranty
- Install ridge vent cap
- Ridge cap, all trim and screws need to be the same color as roof panels
- Replace any water damage facial and soffit
- Prime and paint all new facial and soffit
- Replace and Repair any water damage to interior ceiling
- Paint Interior Ceiling and Wall using Latex Enamel Paint
- Prime and Paint Exterior Wall using Latex Enamel Paint

2. **Bid Instructions:**

All options related to this proposal shall be included in the sealed package for this project.

BIDDER MUST ACKNOWLEDGE THIS AMENDMENT BY SIGNING BELOW  
AND ATTACHING THE SIGNED AMENDMENT TO THE BID FORM:

Company Name \_\_\_\_\_

Contact Person \_\_\_\_\_

Signature \_\_\_\_\_

Date \_\_\_\_\_